

Technical sheet :

SNOW BLOWER (COMPACT MACHINES)



Benefits

- Efficient snow removal & perfect surface cleaning in one go.


Technical characteristics

- Double stage turbine for more snow clearing efficiency.

- Mechanical adjustable chute orientation.

Weight and dimensions		snow_blower_ref_sbl_1800	snow_blower_ref_sbl_2100
Diameter 2 (mm)		420	420
Diameter 1 (mm)		450	450
Overall height (mm)	h17	1500	2100
Width (mm)		1800	2100
Overall weight (kg)		480	540
Working Parameters			
Hydraulic system		false	false
Other Data for Attachments			
Hydraulic requirement high flow (l/min)		70	70
Hydraulic requirement standard (l/min)		45	45

Machines compatibility	snow_blower_ref_sbl_1800	snow_blower_ref_sbl_2100
Snow removing solutions references	SBL 1800	SBL 2100
All-Tach®	N51502228	N51502229
1650 R	X	-
1900 R	X	-
2200 R	-	X
2600 R	-	X
2700 V NXT:2	X	-
3300 V NXT:2	-	X
4200 V	-	X



Siège Social
430 rue de l'Aubinière - 44150 Ancenis Cedex - France
Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97
www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in this brochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508
RCS Nantes